Applicants: Herbert Heiss, et al.

Serial No.: 09/623,775

Filed: September 8, 2000

Page : 2 of 8

Attorney's Docket No.: 12758-051US1 Client Docket No.: 1998P01301WOUS

AMENDMENTS TO THE CLAIMS:

This listing of claims replaces all prior versions and listings of claims in the application.

LISTING OF CLAIMS:

1. (Currently Amended) A method for removing <u>asynchronous transfer mode (ATM)</u> cells from a frame in from a waiting list, <u>the method</u> comprising:

storing a frame start identifier that identifies a ATM cell in the waiting list that precedes a first ATM cell of the frame; and

storing a last cell identifier that identifies a last ATM cell in the waiting list, the last cell identifier corresponding to a back of the waiting list;

waiting list, the target frame comprising ATM cells, the end-of-frame identifier being stored in association with a non-frame ATM cell that follows the target frame in the waiting list; and calling the frame start identifier before removal of the ATM cell of the frame; wherein the frame begins farthest toward removing all ATM cells of an other frame located at a back of the waiting list up to the end-of-frame identifier, the back of the waiting list being identified using the last cell identifier.

2. (Currently Amended) A The method according to of claim 1, further comprising: removing wherein the ATM cells are removed from the other from the frame beginning farthest toward [[a]] the back of the waiting list and proceeding to the end-of-frame identifier.

Attorney's Docket No.: 12758-051US1 Applicants: Herbert Heiss, et al. Client Docket No.: 1998P01301WOUS

Serial No.: 09/623,775

: September 8, 2000 Filed

: 3 of 8 Page

3. (Currently Amended) A The method according to of claim 1, further comprising: removing following wherein the ATM cells of the frame up to and including a last ATM cell of the frame are removed upon arrival or following arrival at the waiting list.

4. (Currently Amended) A The method according to of claim 1, wherein the a first ATM cell of the other frame is immediately preceded by a last an ATM cell of a different frame that is identified by the end-of-frame identifier; and , and further comprising:

referencing the last ATM cell by the frame start identifier.

5. (Currently Amended) A The method according to of claim 4 [[1]], wherein the ATM cell that is identified by the end-of-frame identifier comprises an operation, administration, maintenance (OAM) cell or a resource management (RL) cell the first ATM cell of the frame is immediately preceded by an individual ATM cell not allocated to a frame, and further comprising:

referencing the individual ATM cell by the frame start identifier.

6. (Currently Amended) A method for removing ATM cells from a frame in from a waiting list, the method comprising:

storing a predetermined inhibit value so that the labeling a non-frame ATM cell cells of the frame cannot be removed from in the waiting list as an end-of-frame ATM cell in order to

Applicants: Herbert Heiss, et al.

Serial No.: 09/623,775

Filed : September 8, 2000

Page : 4 of 8

Attorney's Docket No.: 12758-051US1 Client Docket No.: 1998P01301WOUS

prevent the non-frame ATM cell from being removed from when the first ATM cell of the frame is followed in the waiting list by an individual ATM cell not allocated to any frame; and removing all ATM cells of an other frame located at a back of the waiting list up to the end-of-frame ATM cell, the back of the waiting list being identified via a predefined pointer wherein the frame begins farthest toward a back of the waiting list.

- 7. (Currently Amended) A The method according to of claim 6, wherein the predetermined inhibit value is stored non-frame ATM cell is labeled at least on of upon arrival of the individual non-frame ATM cell at the waiting list and or when the individual non-frame ATM cell is added to the waiting list.
- 8. (Currently Amended) A <u>The</u> method according to <u>of</u> claim 1, further comprising: performing a check at, or following, attaching of an arrived ATM cell to an end of the waiting list to see <u>determine</u> whether the arrived ATM cell is a last cell of frame; and as warranted, storing a value that <u>references</u> identifies the <u>arriving arrived</u> ATM cell accordingly as the frame start identifier;

wherein the ATM cells of the appertaining frame cannot be removed from the waiting list.